

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

**REMARKS**

Reconsideration of the application in view of the following remarks is respectfully requested.

Claims 1-9 remain pending in this application.

The present invention discloses a connector for connecting multiple conductors to a transformer. The connector is a generally elongate cylindrical body having a central bore therethrough, which may be internally threaded to accommodate the externally threaded transformer stud. The connector is integrally formed single piece metallic member having high electrical conductivity and further includes an elongate conductor accommodating portion which is a generally solid rectangular member extending the length of the cylindrical body. The conductor accommodating portion extend along the cylindrical body in side by side relationship. The portion includes a plurality of longitudinally spaced conductor receiving ports spaced along the length of the conductor accommodating portions so as to be longitudinally coextensive with the longitudinal bore of the central body. Each of the ports extend from one side surface of the conductor accommodating portion so that conductors inserted into the ports are inserted from the same direction. The conductor accommodating portion further includes a plurality of set screw accommodating apertures, wherein each set screw aperture in communication with the respective conductor receiving port so that set screws may be inserted therein to mechanically and electrically secure the ends of the conductors within the stud connector.

The main advantage of the present invention is that it provides a transformer stud connector, which will accommodate multiple cables without extending the overall length of the connector.

**35 U.S.C. § 102 (b) Rejection of Claims 1-3**

The Examiner has rejected claims 1-3 under 35 U.S.C. § 102 (b) as being anticipated by U.S. Patent 4,214,806 to Kraft (hereinafter "Kraft"). Applicant respectfully traverses the rejection.

The Kraft patent discloses an electrically conductive connector adapted to be coupled with a stud to form an electrical connection. The connector includes an electrical terminal with an electrically conductive terminal aperture. The aperture has a larger diameter than the stud so as to facilitate introduction of the stud therein. A set screw is threadedly mounted on the electrical terminal in position to be actuated from the exterior of the electrical terminal to be reciprocally passed across the aperture to engage the stud inserted therein and form a fixed electrical connection between the stud and connector and to resist movement from any forces applied to the connector. Also provided is at least one terminal port to facilitate electrical connection to selected conductors. Set screws are provided to form the tight interconnection between conventional conductors which are inserted through the terminal port.

The connector of the Kraft patent clearly differs from the connector claimed in Applicant's invention. The Kraft patent fails to show a connector for attachment to an extending transformer stud having conductor insertion apertures spaced along the length of the conductor accommodating body "**so as to be longitudinally coextensive with said longitudinal bore of said central body**", as recited in independent claim 1. Kraft discloses a connector having threaded end aperture and terminal ports adapted to receive electrical conductors. Set screws are provided for the tight interconnection between the conductors and the connector. The conductors are held in position by threaded set screws which are in alignment with the terminal ports. The connector has a threaded end aperture which is perpendicular to the terminal ports, and is designed to receive reciprocally therein a mounting stud of a conventional transformer. The terminal ports are clearly distal from the threaded

aperture. In contrast to the present invention, the Kraft patent fails to show or describe a connector for attachment to an extending transformer stud having conductor insertion apertures spaced along the length of the conductor accommodating body **“so as to be longitudinally coextensive with said longitudinal bore of said central body”** as recited in independent claim 1. As described in column 2, lines 46-57, and shown in Fig. 1 of Kraft, ports 30 and 32 and set screws 34 and 36 are positioned in perpendicular relationship to each other respectively along the axis of the threaded end aperture. Therefore, because of the location of the conductor ports and associated set screws the threaded end aperture cannot extend along the connector to be coextensive with the terminal ports.

As claim 1 recites features not found in the Kraft patent, claim 1 cannot as a matter of law be anticipated by Kraft, which places claim 1 in a condition for allowance.

Claims 2 and 3 depend from independent claim 1 and incorporate by reference all the features thereof. Applicant maintains that independent claim 1 is not anticipated by Kraft because the reference fails to teach all of the features of the claim as discussed above. Therefore, Applicant respectfully submits that the dependent claims 2 and 3 are allowable for the same reasons as advanced for the allowability of claim 1.

#### **35 U.S.C. § 103 Rejection of Claims 4-9**

The Examiner has rejected claims 4-9 under 35 U.S.C. § 103(a) as being unpatentable over Kraft. Applicant respectfully traverses the rejection.

Claims 4 - 9 depend from independent claim 1 and incorporate by reference all the features thereof. Applicant maintains that Kraft fails to teach all of the features of the independent claim 1 as discussed above. Therefore, Applicant respectfully submits that the

dependent claims 4 - 9 are allowable for the same reasons as advanced for the allowability of claim 1.

Furthermore, Kraft contains no teaching or suggestion regarding the length of the connector or providing a connector having conductor insertion apertures coextensive with the longitudinal bore of the central body thus, Kraft fails as an effective Section 103 rejection. Motivation to look to Kraft is lacking in the body of its disclosure, therefore, the Examiner has failed to make a *prima facie* case of obviousness. Withdrawal of the rejection is respectfully requested.

Finally, the Examiner contends that the instant invention does not provide any reasons or specific problems to be solved by a specific orientation. However, Applicant clearly states at Paragraphs 6 and 7 that "Thus, conventional transformer stud connectors are excessively long. This construction of the transformer stud connector, therefore, results in the secondary side of the transformer cabinet having to have sufficient space and longitudinal clearance to accommodate the connector. It is desirable to provide a transformer stud connector which will accommodate multiple cables without extending the overall length of the connector." Thus, a specific reasons and problems to be solved by the orientation of the first and second conductor accommodating portions is clearly provided.

### **CONCLUSION**

In view of the remarks above, Applicant deems this application to be in condition for allowance and solicits such action.

In the event that any issues remain following entry of this amendment, Applicant's attorney respectfully invites the Examiner to contact the undersigned agent at the telephone

Application No.: 10/047,471  
Filing Date: January 14, 2002  
Docket No.: 577-521  
Page 6

number given below for either a personal or telephone interview if the Examiner believes that such would expedite the prosecution of this application.

Respectfully submitted,

A handwritten signature in cursive script, appearing to read "Stephen Cannavale".

Stephen Cannavale  
Registration No. 44,585  
Attorney for Applicant(s)

HOFFMANN & BARON, LLP  
6900 Jericho Turnpike  
Syosset, New York 11791  
(973) 331-1700